



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

| CORE                        | SIZE | Baht / Meter |
|-----------------------------|------|--------------|
| IEC 05 IV 300/500V          | 1    | 8.12         |
| IEC 01 THW<br>450/750V<br>1 | 1.5  | 11.48        |
|                             | 2.5  | 17.50        |
|                             | 4    | 27.60        |
|                             | 6    | 42.00        |
|                             | 10   | 69.02        |
|                             | 16   | 109.70       |
|                             | 25   | 172.60       |
|                             | 35   | 250.50       |
|                             | 50   | 330.00       |
|                             | 70   | 470.00       |
|                             | 95   | 649.50       |
|                             | 120  | 821.74       |
|                             | 150  | 1,017.10     |
|                             | 185  | 1,272.00     |
|                             | 240  | 1,679.14     |
|                             | 300  | 2,084.50     |
|                             | 400  | 2,665.54     |

01 May 2024



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

| <u>IEC 06 IV (VSF)</u>     | <u>Baht / Meter</u> |
|----------------------------|---------------------|
| 0.5                        | 6.86                |
| 0.75                       | 8.40                |
| 1                          | 10.22               |
| <u>IEC 02 THW(f) (VSF)</u> | <u>Baht / Meter</u> |
| 1.5                        | 13.30               |
| 2.5                        | 20.16               |
| 4                          | 30.21               |
| 6                          | 52.22               |
| 10                         | 83.66               |
| 16                         | 119.97              |
| 25                         | 181.87              |

01 May 2024



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

| 60227 IEC 02 THW(F) TWIST |             | <u>Baht / Meter</u> |
|---------------------------|-------------|---------------------|
| <u>Number of cores</u>    | <u>Size</u> |                     |
| 2                         | 1.5         | 27.44               |
| 2                         | 2.5         | 42.42               |
| 2                         | 4           | 75.00               |

01 May 2024



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

| <b>CORE</b>                   | <b><u>SIZE</u></b> | <b><u>Baht / Meter</u></b> |
|-------------------------------|--------------------|----------------------------|
| <b>2 C</b><br><br>VAF-G (101) | <b>1/1</b>         | <b>34.44</b>               |
|                               | <b>1.5/1.5</b>     | <b>45.08</b>               |
|                               | <b>2.5/2.5</b>     | <b>63.00</b>               |
|                               | <b>4/4</b>         | <b>99.26</b>               |
|                               | <b>6/6</b>         | <b>150.22</b>              |
|                               | <b>10/10</b>       | <b>222.60</b>              |
|                               | <b>16/16</b>       | <b>346.92</b>              |

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

|              | CORE | SIZE | Baht / Meter | Remark                    |
|--------------|------|------|--------------|---------------------------|
| 60227 IEC 10 | 2C   | 1.5  | 67.34        | (300/500V)<br>TIS 11-2553 |
|              |      | 2.5  | 80.64        |                           |
|              |      | 4    | 114.10       |                           |
|              |      | 6    | 158.06       |                           |
|              |      | 10   | 223.72       |                           |
|              |      | 16   | 316.68       |                           |
|              |      | 25   | 465.64       |                           |
|              |      | 35   | 617.54       |                           |
|              | 3C   | 1.5  | 76.86        |                           |
|              |      | 2.5  | 94.36        |                           |
|              |      | 4    | 135.73       |                           |
|              |      | 6    | 196.00       |                           |
|              |      | 10   | 287.00       |                           |
|              |      | 16   | 421.40       |                           |
|              |      | 25   | 644.14       |                           |
|              |      | 35   | 871.22       |                           |
|              | 4C   | 1.5  | 88.62        |                           |
|              |      | 2.5  | 110.32       |                           |
|              |      | 4    | 163.24       |                           |
|              |      | 6    | 238.70       |                           |
|              |      | 10   | 364.28       |                           |
|              |      | 16   | 549.22       |                           |
|              |      | 25   | 826.56       |                           |
|              |      | 35   | 1,202.60     |                           |

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

|              | CORE  | SIZE    | Baht / Meter | Remark                    |
|--------------|-------|---------|--------------|---------------------------|
| 60227 IEC 10 | 2 C+G | 1.5/1.5 | 76.86        | (300/500V)<br>TIS 11-2553 |
|              |       | 2.5/2.5 | 94.36        |                           |
|              |       | 4/4     | 135.73       |                           |
|              |       | 6/6     | 196.00       |                           |
|              |       | 10/10   | 287.00       |                           |
|              |       | 16/16   | 421.40       |                           |
|              | 3 C+G | 1.5/1.5 | 88.62        |                           |
|              |       | 2.5/2.5 | 110.32       |                           |
|              |       | 4/4     | 163.24       |                           |
|              |       | 6/6     | 238.70       |                           |
|              |       | 10/10   | 364.28       |                           |
|              |       | 16/16   | 549.22       |                           |
|              | 4 C+G | 1.5/1.5 | 125.02       |                           |
|              |       | 2.5/2.5 | 173.17       |                           |
|              |       | 4/4     | 255.92       |                           |
|              |       | 6/6     | 374.08       |                           |
|              |       | 10/10   | 570.50       |                           |
|              |       | 16/16   | 851.20       |                           |

01 May 2024



# THAI YAZAKI ELECTRIC WIRE CO.,LTD.

| CORE   | CORE | SIZE | Baht / Meter | Remark                    |
|--------|------|------|--------------|---------------------------|
| NYY    | 1C   | 1    | 31.50        | (450/750V)<br>TIS 11-2559 |
|        |      | 1.5  | 35.00        |                           |
|        |      | 2.5  | 40.88        |                           |
|        |      | 4    | 55.16        |                           |
| YK NYY |      | 6    | 82.32        |                           |
|        |      | 10   | 98.70        |                           |
|        |      | 16   | 138.32       |                           |
|        |      | 25   | 202.44       |                           |
|        |      | 35   | 274.40       |                           |
|        |      | 50   | 363.58       |                           |
|        |      | 70   | 493.92       |                           |
|        |      | 95   | 663.60       |                           |
|        |      | 120  | 851.20       |                           |
|        |      | 150  | 1,044.40     |                           |
|        |      | 185  | 1,299.20     |                           |
|        |      | 240  | 1,692.60     |                           |
| NYY    |      | 300  | 2,109.80     |                           |
|        |      | 400  | 2,699.20     |                           |
|        |      | 500  | 3,537.80     |                           |
| NYY    | 2C   | 1    | 63.13        | (450/750V)<br>TIS 11-2559 |
|        |      | 1.5  | 70.64        |                           |
|        |      | 2.5  | 84.43        |                           |
|        |      | 4    | 119.46       |                           |
|        |      | 6    | 165.17       |                           |
|        |      | 10   | 232.89       |                           |
| YK NYY |      | 16   | 327.12       |                           |
|        |      | 25   | 480.07       |                           |
|        |      | 35   | 636.06       |                           |
|        |      | 50   | 882.42       |                           |
|        |      | 70   | 1,247.40     |                           |
| NYY    |      | 95   | 1,680.00     |                           |
|        |      | 120  | 2,086.00     |                           |
|        |      | 150  | 2,562.00     |                           |
|        |      | 185  | 3,203.20     |                           |
|        |      | 240  | 4,188.80     |                           |
|        |      | 300  | 5,213.60     |                           |

01 May 2024



# THAI YAZAKI ELECTRIC WIRE CO.,LTD.

| CORE   | CORE | SIZE | Baht / Meter | Remark                    |
|--------|------|------|--------------|---------------------------|
| NYY    | 3C   | 1    | 71.44        | (450/750V)<br>TIS 11-2559 |
|        |      | 1.5  | 80.63        |                           |
|        |      | 2.5  | 98.80        |                           |
|        |      | 4    | 142.11       |                           |
|        |      | 6    | 204.82       |                           |
|        |      | 10   | 298.77       |                           |
| YK NYY |      | 16   | 435.30       |                           |
|        |      | 25   | 664.10       |                           |
|        |      | 35   | 897.36       |                           |
|        |      | 50   | 1,224.58     |                           |
|        |      | 70   | 1,657.18     |                           |
| NYY    |      | 95   | 2,319.66     |                           |
|        |      | 120  | 2,928.80     |                           |
|        |      | 150  | 3,564.40     |                           |
|        |      | 185  | 4,438.00     |                           |
|        |      | 240  | 5,803.00     |                           |
|        |      | 300  | 7,190.40     |                           |
| NYY    |      | 4C   | 1            |                           |
|        | 1.5  |      | 92.96        |                           |
|        | 2.5  |      | 115.50       |                           |
|        | 4    |      | 170.91       |                           |
|        | 6    |      | 249.44       |                           |
|        | 10   |      | 379.22       |                           |
| YK NYY | 16   |      | 567.35       |                           |
|        | 25   |      | 852.18       |                           |
|        | 35   |      | 1,238.68     |                           |
|        | 50   |      | 1,561.00     |                           |
|        | 70   |      | 2,170.00     |                           |
| NYY    | 95   |      | 3,017.00     |                           |
|        | 120  |      | 3,816.40     |                           |
|        | 150  |      | 4,673.20     |                           |
|        | 185  |      | 5,864.60     |                           |
|        | 240  |      | 7,726.60     |                           |
|        | 300  |      | 9,590.00     |                           |





THAI YAZAKI ELECTRIC WIRE CO.,LTD.

|       | CORE | SIZE    | Baht / Meter | Remark                    |
|-------|------|---------|--------------|---------------------------|
| NYY-G | 2 C  | 1/1     | 71.44        | (450/750V)<br>TIS 11-2559 |
|       |      | 1.5/1.5 | 80.63        |                           |
|       |      | 2.5/2.5 | 98.80        |                           |
|       |      | 4/4     | 142.11       |                           |
|       |      | 6/6     | 204.82       |                           |
|       |      | 10/10   | 298.77       |                           |
|       |      | 16/16   | 459.55       |                           |
|       |      | 25/16   | 631.04       |                           |
|       |      | 35/16   | 849.84       |                           |
|       |      | 50/25   | 1,223.57     |                           |
|       |      | 70/35   | 1,612.27     |                           |
|       |      | 95/50   | 2,240.08     |                           |
|       |      | 120/70  | 2,818.20     |                           |
|       |      | 150/95  | 3,480.60     |                           |
|       |      | 185/95  | 4,247.60     |                           |
|       |      | 240/120 | 5,524.40     |                           |
|       |      | 300/150 | 6,899.12     |                           |
|       | 3 C  | 1/1     | 81.34        |                           |
|       |      | 1.5/1.5 | 92.96        |                           |
|       |      | 2.5/2.5 | 115.50       |                           |
|       |      | 4/4     | 170.91       |                           |
|       |      | 6/6     | 249.44       |                           |
|       |      | 10/10   | 379.22       |                           |
|       |      | 16/16   | 595.35       |                           |
|       |      | 25/16   | 803.60       |                           |
|       |      | 35/16   | 1,176.21     |                           |
|       |      | 50/25   | 1,533.00     |                           |
|       |      | 70/35   | 2,143.09     |                           |
|       |      | 95/50   | 2,953.34     |                           |
|       |      | 120/70  | 3,763.35     |                           |
|       |      | 150/95  | 4,588.81     |                           |
|       |      | 185/95  | 5,736.51     |                           |
|       |      | 240/120 | 7,561.55     |                           |
|       |      | 300/150 | 9,365.89     |                           |
|       | 4 C  | 1/1     | 115.58       |                           |
|       |      | 1.5/1.5 | 130.65       |                           |
|       |      | 2.5/2.5 | 180.43       |                           |
|       |      | 4/4     | 266.41       |                           |
|       |      | 6/6     | 389.05       |                           |
|       |      | 10/10   | 592.75       |                           |
|       |      | 16/16   | 903.91       |                           |
|       |      | 25/16   | 1,247.26     |                           |
|       |      | 35/16   | 1,797.60     |                           |
|       |      | 50/25   | 2,317.00     |                           |
|       |      | 70/35   | 3,206.00     |                           |
|       |      | 95/50   | 4,417.00     |                           |
|       |      | 120/70  | 5,509.00     |                           |
|       |      | 150/95  | 6,776.00     |                           |
|       |      | 185/95  | 8,421.00     |                           |
|       |      | 240/120 | 10,990.00    |                           |
|       |      | 300/150 | 13,699.00    |                           |



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

|              | CORE | SIZE | Baht / Meter | Remark                    |
|--------------|------|------|--------------|---------------------------|
| 60227 IEC 53 | 2 C  | 0.75 | 31.22        | (300/500V)<br>TIS 11-2553 |
|              |      | 1    | 36.54        |                           |
|              |      | 1.5  | 48.44        |                           |
|              |      | 2.5  | 77.98        |                           |
|              | 3 C  | 0.75 | 39.06        |                           |
|              |      | 1    | 49.56        |                           |
|              |      | 1.5  | 61.46        |                           |
|              |      | 2.5  | 111.16       |                           |
|              | 4 C  | 0.75 | 51.94        |                           |
|              |      | 1    | 61.74        |                           |
|              |      | 1.5  | 79.52        |                           |
|              |      | 2.5  | 124.18       |                           |

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

|              | CORE  | SIZE    | Baht / Meter | Remark                    |
|--------------|-------|---------|--------------|---------------------------|
| 60227 IEC 53 | 2C +G | 1/1     | 49.56        | (300/500V)<br>TIS 11-2553 |
|              |       | 1.5/1.5 | 61.46        |                           |
|              |       | 2.5/2.5 | 111.16       |                           |
|              | 3C +G | 1/1     | 61.74        |                           |
|              |       | 1.5/1.5 | 79.52        |                           |
|              |       | 2.5/2.5 | 124.18       |                           |
|              | 4C +G | 1/1     | 89.60        |                           |
|              |       | 1.5/1.5 | 111.30       |                           |
|              |       | 2.5/2.5 | 162.40       |                           |

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

|     | CORE | SIZE | Baht / Meter | Remark                    |
|-----|------|------|--------------|---------------------------|
| VCT | 2    | 1    | 37.86        | (450/750V)<br>TIS 11-2559 |
|     |      | 1.5  | 50.04        |                           |
|     |      | 2.5  | 80.43        |                           |
|     |      | 4    | 111.30       |                           |
|     |      | 6    | 158.06       |                           |
|     |      | 10   | 273.42       |                           |
|     |      | 16   | 392.00       |                           |
|     |      | 25   | 618.10       |                           |
|     |      | 35   | 819.14       |                           |
|     | 3    | 1    | 51.34        |                           |
|     |      | 1.5  | 63.49        |                           |
|     |      | 2.5  | 114.66       |                           |
|     |      | 4    | 140.56       |                           |
|     |      | 6    | 205.66       |                           |
|     |      | 10   | 358.82       |                           |
|     |      | 16   | 530.60       |                           |
|     |      | 25   | 799.40       |                           |
|     |      | 35   | 1,117.20     |                           |
|     | 4    | 1    | 63.97        |                           |
|     |      | 1.5  | 82.14        |                           |
|     |      | 2.5  | 128.09       |                           |
|     |      | 4    | 178.50       |                           |
|     |      | 6    | 267.68       |                           |
|     |      | 10   | 469.70       |                           |
|     |      | 16   | 679.56       |                           |
|     |      | 25   | 1,023.96     |                           |
|     |      | 35   | 1,425.20     |                           |

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

|       | CORE | SIZE    | Baht / Meter | Remark                    |
|-------|------|---------|--------------|---------------------------|
| VCT-G | 2C   | 1/1     | 51.34        | (450/750V)<br>TIS 11-2559 |
|       |      | 1.5/1.5 | 63.49        |                           |
|       |      | 2.5/2.5 | 114.66       |                           |
|       |      | 4/4     | 140.56       |                           |
|       |      | 6/6     | 205.66       |                           |
|       |      | 10/10   | 358.82       |                           |
|       |      | 16/16   | 530.60       |                           |
|       |      | 25/16   | 777.17       |                           |
|       |      | 35/16   | 1078.46      |                           |
|       | 3C   | 1/1     | 63.97        |                           |
|       |      | 1.5/1.5 | 82.14        |                           |
|       |      | 2.5/2.5 | 128.09       |                           |
|       |      | 4/4     | 178.50       |                           |
|       |      | 6/6     | 267.68       |                           |
|       |      | 10/10   | 469.70       |                           |
|       |      | 16/16   | 679.56       |                           |
|       |      | 25/16   | 1008.81      |                           |
|       |      | 35/16   | 1389.79      |                           |
|       | 4C   | 1/1     | 93.52        |                           |
|       |      | 1.5/1.5 | 116.02       |                           |
|       |      | 2.5/2.5 | 169.06       |                           |
|       |      | 4/4     | 247.72       |                           |
|       |      | 6/6     | 420.63       |                           |
|       |      | 10/10   | 637.00       |                           |
|       |      | 16/16   | 903.00       |                           |
|       |      | 25/16   | 1316.00      |                           |
|       |      | 35/16   | 1,841.00     |                           |

01 May 2024



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

| CVV(f) | mm <sup>2</sup> | 0.75   | 1      | 1.5    | 2.5    | 4      |
|--------|-----------------|--------|--------|--------|--------|--------|
|        | 2 C             | 48.02  | 51.10  | 56.42  | 76.30  | 104.72 |
|        | 3 C             | 53.34  | 58.66  | 69.02  | 96.32  | 132.02 |
|        | 4 C             | 66.92  | 69.16  | 83.72  | 119.42 | 175.84 |
|        | 5 C             | 81.62  | 91.00  | 106.68 | 152.88 | 213.50 |
|        | 6 C             | 91.77  | 107.45 | 129.15 | 189.70 | 266.98 |
|        | 7 C             | 96.32  | 109.90 | 132.02 | 192.92 | 278.46 |
|        | 8 C             | 141.00 | 147.49 | 178.99 | 253.12 | 351.47 |
|        | 9 C             | 144.50 | 148.68 | 181.16 | 257.32 | 368.48 |
|        | 10 C            | 148.00 | 160.16 | 196.56 | 282.52 | 406.00 |
|        | 11 C            | 151.62 | 178.50 | 220.43 | 325.50 | 470.54 |
|        | 12 C            | 153.86 | 180.04 | 221.90 | 326.48 | 479.08 |
|        | 13 C            | 169.19 | 195.37 | 245.63 | 364.56 | 536.41 |
|        | 14 C            | 170.52 | 196.70 | 246.96 | 366.24 | 540.54 |
|        | 15 C            | 181.02 | 213.78 | 271.88 | 406.07 | 614.60 |
|        | 16 C            | 183.12 | 215.46 | 273.00 | 409.50 | 624.26 |



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

|        | mm <sup>2</sup> | 0.75   | 1      | 1.5    | 2.5    | 4        |
|--------|-----------------|--------|--------|--------|--------|----------|
| CVV(f) | 17 C            | 202.12 | 232.68 | 301.32 | 436.76 | 661.82   |
|        | 18 C            | 205.62 | 242.48 | 310.98 | 474.28 | 704.80   |
|        | 19 C            | 208.18 | 246.12 | 314.30 | 478.66 | 724.36   |
|        | 20 C            | 233.24 | 275.59 | 346.08 | 525.49 | 794.78   |
|        | 21 C            | 234.78 | 278.46 | 351.26 | 531.44 | 800.80   |
|        | 22 C            | 253.92 | 301.88 | 379.78 | 587.34 | 868.18   |
|        | 23 C            | 257.42 | 306.36 | 390.28 | 603.86 | 890.16   |
|        | 24 C            | 260.26 | 307.58 | 393.12 | 615.16 | 906.36   |
|        | 25 C            | 280.60 | 329.00 | 422.42 | 664.16 | 973.46   |
|        | 26 C            | 286.90 | 332.08 | 432.92 | 672.28 | 996.84   |
|        | 27 C            | 289.38 | 334.88 | 437.36 | 678.16 | 1,011.08 |
|        | 28 C            | 306.70 | 357.52 | 465.68 | 728.24 | 1,077.54 |
|        | 29 C            | 307.40 | 362.70 | 476.18 | 739.16 | 1,105.12 |
|        | 30 C            | 309.40 | 366.38 | 478.66 | 744.38 | 1,113.84 |

# THAI YAZAKI ELECTRIC WIRE CO.,LTD.

| CVV-S(f) | mm <sup>2</sup> | 0.75   | 1      | 1.5    | 2.5    | 4      |
|----------|-----------------|--------|--------|--------|--------|--------|
|          | 2 C             | 87.92  | 91.91  | 102.48 | 127.82 | 169.68 |
|          | 3 C             | 96.32  | 104.72 | 117.18 | 152.60 | 203.84 |
|          | 4 C             | 112.84 | 119.42 | 138.32 | 182.00 | 246.96 |
|          | 5 C             | 132.02 | 142.38 | 163.24 | 222.04 | 293.02 |
|          | 6 C             | 145.25 | 161.91 | 190.61 | 261.59 | 351.33 |
|          | 7 C             | 152.88 | 167.44 | 198.38 | 267.54 | 367.64 |
|          | 8 C             | 177.17 | 201.25 | 233.31 | 315.21 | 440.23 |
|          | 9 C             | 187.46 | 207.06 | 240.24 | 334.88 | 456.82 |
|          | 10 C            | 205.66 | 223.86 | 262.08 | 365.82 | 513.24 |
|          | 11 C            | 215.25 | 236.67 | 284.55 | 393.75 | 555.45 |
|          | 12 C            | 222.04 | 243.88 | 293.02 | 407.68 | 569.66 |
|          | 13 C            | 239.96 | 265.44 | 313.18 | 443.52 | 638.89 |
|          | 14 C            | 243.88 | 273.00 | 322.14 | 451.36 | 666.12 |
|          | 15 C            | 255.78 | 292.53 | 347.13 | 496.86 | 727.16 |
|          | 16 C            | 262.08 | 296.66 | 356.72 | 505.96 | 746.20 |



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

| <b>CVV-S(f)</b> | <b>mm<sup>2</sup></b> | <b>0.75</b> | <b>1</b> | <b>1.5</b> | <b>2.5</b> | <b>4</b> |
|-----------------|-----------------------|-------------|----------|------------|------------|----------|
|                 | 17 C                  | 277.44      | 313.60   | 379.02     | 535.64     | 780.74   |
|                 | 18 C                  | 283.74      | 326.20   | 390.08     | 567.56     | 812.52   |
|                 | 19 C                  | 293.02      | 334.88   | 396.76     | 582.40     | 837.20   |
|                 | 20 C                  | 308.63      | 352.03   | 421.26     | 635.46     | 912.80   |
|                 | 21 C                  | 320.32      | 362.18   | 433.16     | 658.84     | 946.40   |
|                 | 22 C                  | 336.10      | 382.06   | 459.52     | 707.74     | 1,024.10 |
|                 | 23 C                  | 343.80      | 390.74   | 471.42     | 728.46     | 1,039.08 |
|                 | 24 C                  | 356.72      | 405.86   | 489.58     | 742.56     | 1,082.90 |
|                 | 25 C                  | 369.88      | 423.50   | 512.92     | 780.22     | 1,142.68 |
|                 | 26 C                  | 378.98      | 432.18   | 524.82     | 796.74     | 1,164.66 |
|                 | 27 C                  | 389.48      | 438.62   | 536.90     | 813.54     | 1,186.64 |
|                 | 28 C                  | 401.00      | 453.28   | 569.48     | 861.60     | 1,253.04 |
|                 | 29 C                  | 407.30      | 464.06   | 581.38     | 873.92     | 1,280.62 |
|                 | 30 C                  | 413.14      | 475.02   | 595.14     | 886.34     | 1,297.66 |



## THAI YAZAKI ELECTRIC WIRE CO.,LTD.

|    | CORE                         | SIZE | Baht / Meter |
|----|------------------------------|------|--------------|
| YK | FD-0.6/1<br>KV-CV<br><br>1 C | 2.5  | 36.81        |
|    |                              | 4    | 46.45        |
|    |                              | 6    | 60.86        |
|    |                              | 10   | 80.40        |
|    |                              | 16   | 119.74       |
|    |                              | 25   | 181.23       |
|    |                              | 35   | 263.03       |
|    |                              | 50   | 338.80       |
|    |                              | 70   | 474.85       |
|    |                              | 95   | 655.17       |
|    |                              | 120  | 830.76       |
|    |                              | 150  | 1,067.96     |
|    |                              | 185  | 1,335.60     |
|    |                              | 240  | 1,763.10     |
|    |                              | 300  | 2,188.73     |
|    |                              | 400  | 2,698.98     |
|    |                              | 500  | 3,604.54     |
|    |                              | 630  | 4,609.05     |
|    |                              | 800  | 5,780.42     |
|    |                              | 1000 | 7,619.98     |
| YK | FD-0.6/1<br>KV-CV<br><br>2 C | 2.5  | 83.36        |
|    |                              | 4    | 105.59       |
|    |                              | 6    | 138.24       |
|    |                              | 10   | 177.03       |
|    |                              | 16   | 273.49       |
|    |                              | 25   | 425.33       |
|    |                              | 35   | 574.17       |
|    |                              | 50   | 765.74       |
|    |                              | 70   | 1,062.26     |
|    |                              | 95   | 1,463.63     |
|    |                              | 120  | 1,844.99     |
|    |                              | 150  | 2,264.88     |
|    |                              | 185  | 2,814.42     |
|    |                              | 240  | 3,680.04     |
|    |                              | 300  | 4,613.21     |
|    |                              | 400  | 5,871.33     |



## THAI YAZAKI ELECTRIC WIRE CO.,LTD.

|    | CORE                         | SIZE | Baht / Meter |
|----|------------------------------|------|--------------|
| YK | FD-0.6/1<br>KV-CV<br><br>3 C | 2.5  | 104.23       |
|    |                              | 4    | 135.87       |
|    |                              | 6    | 179.79       |
|    |                              | 10   | 243.42       |
|    |                              | 16   | 372.54       |
|    |                              | 25   | 576.73       |
|    |                              | 35   | 780.99       |
|    |                              | 50   | 1,051.81     |
|    |                              | 70   | 1,485.15     |
|    |                              | 95   | 2,032.03     |
|    |                              | 120  | 2,586.18     |
|    |                              | 150  | 3,181.82     |
|    |                              | 185  | 3,993.82     |
|    |                              | 240  | 5,213.99     |
|    |                              | 300  | 6,530.44     |
|    |                              | 400  | 8,515.46     |
| YK | FD-0.6/1<br>KV-CV<br><br>4 C | 2.5  | 128.65       |
|    |                              | 4    | 169.39       |
|    |                              | 6    | 225.47       |
|    |                              | 10   | 330.46       |
|    |                              | 16   | 487.86       |
|    |                              | 25   | 754.07       |
|    |                              | 35   | 1,022.52     |
|    |                              | 50   | 1,394.22     |
|    |                              | 70   | 1,962.88     |
|    |                              | 95   | 2,704.55     |
|    |                              | 120  | 3,438.60     |
|    |                              | 150  | 4,237.60     |
|    |                              | 185  | 5,334.70     |
|    |                              | 240  | 6,985.59     |
|    |                              | 300  | 9,116.62     |
|    |                              | 400  | 11,503.09    |

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

| 1.8/3(3.6) KV-CV |                     |              | 1.8/3(3.6) KV-CV |                     |              |
|------------------|---------------------|--------------|------------------|---------------------|--------------|
| CORE             | ( mm <sup>2</sup> ) | Baht / Meter | CORE             | ( mm <sup>2</sup> ) | Baht / Meter |
| 1 C              | 10                  | 177.38       | 3 C              | 10                  | 471.24       |
|                  | 16                  | 225.40       |                  | 16                  | 620.90       |
|                  | 25                  | 294.00       |                  | 25                  | 829.78       |
|                  | 35                  | 360.36       |                  | 35                  | 1,036.70     |
|                  | 50                  | 449.12       |                  | 50                  | 1,337.98     |
|                  | 70                  | 595.00       |                  | 70                  | 1,775.20     |
|                  | 95                  | 774.20       |                  | 95                  | 2,336.60     |
|                  | 120                 | 960.40       |                  | 120                 | 2,905.00     |
|                  | 150                 | 1,156.40     |                  | 150                 | 3,519.60     |
|                  | 185                 | 1,416.80     |                  | 185                 | 4,331.60     |
|                  | 240                 | 1,817.20     |                  | 240                 | 5,558.00     |
|                  | 300                 | 2,237.20     |                  | 300                 | 6,865.60     |
|                  | 400                 | 2,805.60     |                  | 400                 | 8,612.80     |
|                  |                     |              |                  |                     |              |



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

| 3.6/6(7.2) KV-CV |                     |              | 3.6/6(7.2) KV-CV |                     |              |
|------------------|---------------------|--------------|------------------|---------------------|--------------|
| CORE             | ( mm <sup>2</sup> ) | Baht / Meter | CORE             | ( mm <sup>2</sup> ) | Baht / Meter |
| 1 C              | 10                  | 222.60       | 3 C              | 10                  | 697.20       |
|                  | 16                  | 277.20       |                  | 16                  | 851.20       |
|                  | 25                  | 343.00       |                  | 25                  | 1,072.40     |
|                  | 35                  | 418.60       |                  | 35                  | 1,297.80     |
|                  | 50                  | 511.00       |                  | 50                  | 1,618.40     |
|                  | 70                  | 651.00       |                  | 70                  | 2,055.20     |
|                  | 95                  | 827.40       |                  | 95                  | 2,622.20     |
|                  | 120                 | 1,005.20     |                  | 120                 | 3,186.40     |
|                  | 150                 | 1,212.40     |                  | 150                 | 3,759.00     |
|                  | 185                 | 1,479.80     |                  | 185                 | 4,505.20     |
|                  | 240                 | 1,902.60     |                  | 240                 | 5,765.20     |
|                  | 300                 | 2,340.80     |                  | 300                 | 7,084.00     |
|                  | 400                 | 2,935.80     |                  | 400                 | 9,052.40     |
|                  | 500                 | 3,714.20     |                  |                     |              |

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

| 6/10(12) KV-CV |                     |              | 6/10(12) KV-CV |                     |              |
|----------------|---------------------|--------------|----------------|---------------------|--------------|
| CORE           | ( mm <sup>2</sup> ) | Baht / Meter | CORE           | ( mm <sup>2</sup> ) | Baht / Meter |
| 1 C            | 16                  | 344.40       | 3 C            | 16                  | 1,066.80     |
|                | 25                  | 414.40       |                | 25                  | 1,300.60     |
|                | 35                  | 491.40       |                | 35                  | 1,542.80     |
|                | 50                  | 592.20       |                | 50                  | 1,867.60     |
|                | 70                  | 739.20       |                | 70                  | 2,346.40     |
|                | 95                  | 922.60       |                | 95                  | 2,942.80     |
|                | 120                 | 1,104.60     |                | 120                 | 3,501.40     |
|                | 150                 | 1,297.80     |                | 150                 | 4,081.00     |
|                | 185                 | 1,566.60     |                | 185                 | 4,963.00     |
|                | 240                 | 1,999.20     |                | 240                 | 6,304.20     |
|                | 300                 | 2,445.80     |                | 300                 | 7,686.00     |
|                | 400                 | 3,061.80     |                | 400                 | 9,585.80     |

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

| 8.7/15(18) KV-CV |                     |              | 8.7/15(18) KV-CV |                     |              |
|------------------|---------------------|--------------|------------------|---------------------|--------------|
| CORE             | ( mm <sup>2</sup> ) | Baht / Meter | CORE             | ( mm <sup>2</sup> ) | Baht / Meter |
| 1 C              | 25                  | 473.20       | 3 C              | 25                  | 1,510.60     |
|                  | 35                  | 555.80       |                  | 35                  | 1,761.20     |
|                  | 50                  | 653.80       |                  | 50                  | 2,116.80     |
|                  | 70                  | 807.80       |                  | 70                  | 2,585.80     |
|                  | 95                  | 995.40       |                  | 95                  | 3,179.40     |
|                  | 120                 | 1,181.60     |                  | 120                 | 3,913.00     |
|                  | 150                 | 1,367.80     |                  | 150                 | 4,432.40     |
|                  | 185                 | 1,629.60     |                  | 185                 | 5,201.00     |
|                  | 240                 | 2,069.20     |                  | 240                 | 6,508.60     |
|                  | 300                 | 2,515.80     |                  | 300                 | 8,045.80     |
|                  | 400                 | 3,137.40     |                  | 400                 | 9,800.00     |

01 May 2024



THAI YAZAKI ELECTRIC WIRE CO.,LTD.

| 12/20(24) KV-CV |                     |              | 12/20(24) KV-CV |                     |              |
|-----------------|---------------------|--------------|-----------------|---------------------|--------------|
| CORE            | ( mm <sup>2</sup> ) | Baht / Meter | CORE            | ( mm <sup>2</sup> ) | Baht / Meter |
| 1 C             | 35                  | 613.20       | 3 C             | 35                  | 1,971.20     |
|                 | 50                  | 721.00       |                 | 50                  | 2,312.80     |
|                 | 70                  | 868.00       |                 | 70                  | 2,794.40     |
|                 | 95                  | 1,059.80     |                 | 95                  | 3,463.60     |
|                 | 120                 | 1,254.40     |                 | 120                 | 4,057.20     |
|                 | 150                 | 1,439.20     |                 | 150                 | 4,663.40     |
|                 | 185                 | 1,692.60     |                 | 185                 | 5,513.20     |
|                 | 240                 | 2,121.00     |                 | 240                 | 7,071.40     |
|                 | 300                 | 2,580.20     |                 | 300                 | 8,339.80     |
|                 | 400                 | 3,201.80     |                 | 400                 | 10,113.60    |
|                 |                     |              |                 |                     |              |

01 May 2024





THAI YAZAKI ELECTRIC WIRE CO.,LTD.

| 18/30(36) KV-CV |                     |              | 18/30(36) KV-CV |                     |              |
|-----------------|---------------------|--------------|-----------------|---------------------|--------------|
| CORE            | ( mm <sup>2</sup> ) | Baht / Meter | CORE            | ( mm <sup>2</sup> ) | Baht / Meter |
| 1 C             | 35                  | 842.80       | 3 C             | 35                  | 2,773.40     |
|                 | 50                  | 886.20       |                 | 50                  | 2,935.80     |
|                 | 70                  | 1,044.40     |                 | 70                  | 3,505.60     |
|                 | 95                  | 1,244.60     |                 | 95                  | 4,132.80     |
|                 | 120                 | 1,436.40     |                 | 120                 | 4,774.00     |
|                 | 150                 | 1,643.60     |                 | 150                 | 5,398.40     |
|                 | 185                 | 1,906.80     |                 | 185                 | 6,213.20     |
|                 | 240                 | 2,318.40     |                 | 240                 | 7,802.20     |
|                 | 300                 | 2,734.20     |                 | 300                 | 9,307.20     |
|                 | 400                 | 3,374.00     |                 | 400                 | 11,145.40    |
|                 |                     |              |                 |                     |              |

01 May 2024



**THAI YAZAKI ELECTRIC WIRE CO.,LTD.**

| CORE      | SIZE  | Baht / Meter |
|-----------|-------|--------------|
| THWA<br>1 | 10 C  | 12.71        |
|           | 16 C  | 17.25        |
|           | 25 C  | 25.44        |
|           | 35 C  | 32.87        |
|           | 50 D  | 44.30        |
|           | 70 D  | 69.52        |
|           | 95 D  | 90.83        |
|           | 120 D | 111.01       |
|           | 150 D | 135.04       |
|           | 185 D | 168.08       |
|           | 240 D | 219.84       |
|           |       |              |

01 May 2024